

GRAND TRAULER



General Equipment list - Europe

GENERAL SPECIFICATIONS_____

 L.O.A*: Hull length: Overall width: Beam: Light displacement (EC): Air draft: max without T-Top Draught (max): Fuel capacity: 	18,95m 16,47m 5,45m 5,41m 28 500kg 7,34m 5,12m 1,4m 2 x 1 935L	62'2" 54'½" 17'10½" 17'9" 61,729 lbs 24'1" 16'9½" 4'7½" 2 x 511 US Gal
Freshwater capacity:	840L	222 US Gal
Maximum engine power:Max engine certification:	2 x 537Kw - 2 x 730 HP 2 x 537Kw - 2 x 730 HP	2 x 730 HP 2 x 730HP

* (with aft swimming platform)

ARCHITECTS / DESIGNERS ____

- Naval Architect: MICADDesign: Nauta

EC CERTIFICATION _____

Category B - 16 people







3-cabin layout (standard):



4-cabin layout:







JRAND TRAULER



General Equipment list - Europe

STANDARD EQUIPMENT

CONSTRUCTION

HULL

- Gel coat: RAL 9010
- · Composition:
- Sandwich (Polyester resin Glass fiber Balsa core)
- Structural hull counter moulding in monolithic laminate (Polyester resin Glass fiber)
- Moulding by infusion • 15 opening portholes (3 in the skipper's cabin)

DECK

- · Gel coat: RAL 9010
- Composition:
- Sandwich (Polyester resin Glass fiber Balsa core)
- Moulding by infusionDiamond tip type non-slip covering

DECK EQUIPMENT

- Stainless steel radar stand
- Navigation lights
- Courtesy lighting (Catwalks, Steps & Aft transom)

MOORING LINES - MOORING

- Stainless steel bowsprit
- Electric windlass (24V 2 300 W)
- Windlass remote control in the chain locker + windlass control from the helm position in the wheelhouse and on the flybridge Anchor locker, 2 lockers for fenders on forward deck, mooring lines lockers
- · 2 Forward cleats, 4 central and 4 aft in stainless steel

SAFETY ON DECK

- Stainless steel pulpits
- Stainless steel pulpit surrounding all flybridge
- Stainless steel handrails for access to catwalk steps
- · 1 Hand rail on aft transom

FOREDECK

- Fender stowage to port and starboard
- Chain locker to port and starboard
- · Position for seat and sun deck

FI YBRIDGE

- Grey tinted windscreen in PMMA
- Access panel to interior and exterior flybridge stairs
- Steering station including: MAN 5.5" screens for 2 engines, engine controls, steering compass, tiller angle indicator, autopilot, helm, fuel gauge, 12 V socket
- Space for 3 multifunction 16" screens
- Operating controls: windlass, lighting, navigation lights, bilge pumps
- 2 Loud speakers 1 Adjustable pilot seat, with cover 2 Cup holders & Storage
- Position for sun deck in front of steering station with 2 cup holder
- L-shaped bench seat to port
- U-shaped bench seat for 8 people to port
- Folding teak table, with 4 integrated cup holders Exterior galley: corian work top, with 5 built-in cup holders, space for an electric grill (optional), stowage, bin
- LED courtesy lighting
 PVC Marlin Brilliant White upholstery, Open cell foam

COCKPIT

- Access via doors (to port and starboard)
- Lockers with stowage (to port and starboard)
- Gangway doors (to port and starboard)
- PMMA catwalk doors, painted grey (to port and starboard) Access hatch to large stowage locker (standard) or skipper cabin (optional) to the aft port side
- Second access hatch to large stowage locker (standard) or skipper cabin (optional) in the cockpit
- Cockpit shower (with hot/cold water mixer tap)
- Access ladder to flybridge, with teak steps
- Natural teak decking with black joints in swim deck and cockpit
- Foldaway swim ladder recessed in the bathing platform, with teak steps and stainless steel handrails Swimming platform steps with access hatch to shore power socket and shore freshwater supply Direct and indirect lighting LED

- · 2 Loud speakers



TRAULER JRAND



General Equipment list - Europe

INTERIOR

- Choice of woodwork:
 Alpi walnut (standard):
 Standard Rovere Aleve laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
 Savage Abundance 31 white carpet (Cabins)
- 3 gloss Alpi oak (Option):
 Standard brown oak laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
 Savage Abundance 39 taupe carpet (Cabins)

WHEELHOUSE

- Headroom: 2,02m / 6'71/2"
- Curtain, Aft window door
- Wooden Venetian blinds
- Direct and indirect lighting LED
- Electrical panel
- Wheelhouse side door to port

STEERING STATION

- Direct and indirect lighting LED
- Clear glass windscreen
- Grey tinted glass side windows
- 3 Windscreen wipers with washers
- Demisting system
- Charcoal grey leather adjustable pilot seat, with bolster Side bench seat
- 4 Cup holders & Storage
- Instrument panel with vinyl finish MAN 5.5" screen for 2 engines MAN engine controls and gauges

- Autopilot
- Steering compass Tiller angle indicator
- Operating controls: windscreen wipers, demister, horn, navigation lights, electric windlass
- Valet trav
- Space for 3 multifunction 16" screens
 1 12 V socket

WHEELHOUSE (DINING ROOM)

- Headroom: 2,02m / 6'71/2"
- L-shaped bench seat for 5 people to starboard, PVC Marlin Brilliant White upholstery
- 4 Folding chairs (internal and external use), Dedicated stowage
- beneath starboard bench seat
- Sliding table with hand rail Storage locker

SALOON

Headroom: 2,02m / 6'71/2"

- U-shaped bench seat to port, PVC Marlin Brilliant White upholstery
- Coffee table
- Sideboard to starboard
- Place for 50 TV with pre-wiring FUSION RA210 with 4 speakers
- · 220 V socket & USB socket

GALLEY

- Headroom: 2,02m / 6'7½" Starboard side door
- Stainless steel sink with mixer tap
- 3 burner induction hob Multi-function microwave oven (40L / 11 US Gal) Extractor hood
- Corian Rain Cloud countertop Fridge/Freezer (255L / 67.36 US Gal)
- Covered stowage drawer
- Cupboards, drawers, high storwage units and bottle rack Recycling bin with external access

December 8, 2021 - (non-binding document)

- Position for Dishwasher option
- 220 V socket

OWNER'S CABIN (AFT) - 3-cabin layout

Headroom: 2,00m / 6'6¾' Full beam stateroom

- Double berth (2m x 1,7m / 6'6¾" x 5'7")
- Marine mattress with slatted base
- 2 Bedside tables with drawer
- 2 Hanging cupboards with lighting
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds
- Place for 50 TV with pre-wiring Storage cupboards (Port and starboard)
- Storage space under bed
- Desk or dressing table
- 1 Seating220 V socket & USB socket

OWNER'S HEAD COMPARTMENT

- Headroom: 2.00m / 6'63/"
- Tecma electric toilet
- · Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Mixer tap with shower head and rainfall shower fitting
- Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- Automatic drainage of shower water (by gravity)
- 220 V socket
- Hull window with opening porthole Towel rail and hooks

VIP CABIN (FORWARD)

- Headroom: 1,99m / 6'61/4 Double berth (2m x 1,55m / 6'6¾" x 5'1")
- Marine mattress with slatted base
- 2 Bedside tables
- 1 Hanging locker with lighting Direct and indirect lighting
- 2 Panoramic hull windows with built-in portholes, fitted with white Venetian blinds

Rain Cloud corian shower with basin, separated by door with stainless

Code Bénéteau M12851 (D) Eng

Rain Cloud corian work top with sink and mixer tap

Hull window with opening porthole + 1 Opening porthole

Automatic drainage of shower water (by gravity)

- Place for 32 TV with pre-wiring
- Storage cupboards

steel profile

220 V socket

- Storage space under bed 220 V socket & USB socket

VIP HEAD COMPARTMENT

Headroom: 1.96m / 6'51/4' Tecma electric toilet + Shared rigid tank (170L / 45 US Gal)

Shower with mixer tap

Towel rail and hooks

Mirror and storage space



TRAULER SRAND



General Equipment list - Europe

GUEST CABIN

Headroom: 2,02m / 6'71/2"

- 2 Single beds convertible into double beds (1,96m x 0,75m / 6'5'4" x 2'5'2")
- Marine mattresses
- Bedhead
- Hanging locker with lighting
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed 220 V socket & USB socket
- **GUESTS HEAD**

Headroom: 2.02m / 6'7%' Tecma electric toilet

- Rain Cloud corian shower with basin, separated by door with stainless steel profile
- Shower with mixer tap Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space Automatic drainage of shower water (by gravity)
- 220 V socket
- Hull window with built-in opening porthole
- · Towel rail and hooks
- **AFT STOWAGE**

Headroom: 1,78m / 5'10"

- (1,92m / 6'31/2" in the shower compartment)
- Laminate floor
- Cupboards and door to create dedicated stowage spaces
- Opening portholes
- Access door to the engine compartment

ENGINE

SHAFT LINE PROPULSION

- MAN i6-730 2 x 730 HP Diesel (2 x 537Kw)
- Fuel filter with decanter
- Seawater filter
- Air intakes on the hull for cooling the engine compartment
- Hot air extraction forced by electric ventilators Engine room foam soundproofed
- Fire extinguishing system activated from the steering station (Wheelhouse)
- 2 Stainless steel fuel tanks with capacity of 1 935 L/511 US Gal each

STEERING SYSTEM

- Electric-hydraulic steering
- 2 stainless steel rudder blades
- Bow thruster (300 kgf)
- Lenco trim tabs

MAN DETAILS

- Trip computer
- Cruise control
- Single lever

ELECTRICITY

- 24 V 220 V Electrical panel
- 4 AGM engine batteries (12V 140Ah)
 4 AGM bow thruster and electric windlass batteries (12V 100Ah)
 6 Service batteries (12V 140Ah) AGM optional extra

- Radio-controlled wireless switches (without battery)
 230 V 50 Hz 63 Ah shore power socket with 15 m cable (or 2 220 V/60 Hz shore power sockets, depending on country)
 3 Bilge pumps: 2 Electric bilge pumps + 1 Manual pump
- 1 Extinguisher Power distributor

- Power distributor
 Battery charger: 24V 2 x 40Ah
 220V Sockets: Saloon, Galley, Heads, Cabins
 USB sockets: Saloon, Galley, Heads, Cabins
 12V Sockets: Steering stations (Wheelhouse & Flybridge)
 Direct and indirect LED lighting (inside and out)

PLUMBING

- 3 2 x 320 + 1 x 200 L / 2 x 85 + 1 x 53 US Gal Roto moulded water tanks (total = 840L / 222 US Gal)
- Stainless steel water filler
- Water pump for pressurising hot/cold water system
- 80 L/21 US Gal water heater
 170 L/45 US Gal black water tank
- Grey water tank (45 L/ 12.9 US Gal) with sea discharge valves Owner cabin and head, Galley
 Grey water tank (45 L/ 12.9 US Gal) with sea discharge valves VIP and
- guest cabins and heads

SMART BOARD

- "SEANAPPS" smart technology:For monitoring the boat's status and receiving alerts as well as maintenance advice via the associated mobile application.
- The type of information collected (GPS position, batteries, engine info, navigation data, etc.) varies according to the boat's configuration.

seuluu

CONNECT YOUR BOAT FREE YOUR MIND

MISCELLANEOUS ITEMS

Smoke detector



JRAND TRAULER



General Equipment list - Europe

TRIM LEVEL & PACKS

TRIM LEVEL

	ESSENTIAL	CONFORT	LOUNGE
Flybridge T-top with lighting			
Ship control with web server			
 4,5 kVA Generator (50Hz) or 7,5 kVA Generator (60Hz) 		-	-
Drawer refrigerator on flybridge (65L / 17 US Gal)			
2 000 W inverter			•
• Hydraulic bathing platform with integrated tender supports (400kg / 882 lbs SWL)			
 2 Fresh water deck washing pumps (stern and forward decks) 			
Deck searchlight and aft spotlight			•
Underwater lights (4 on aft transom)			
Electric grill with stainless steel cover on flybridge			•
Ice maker on flybridge Drawer refrigerator in lounge (051, / 25, //S, Col)			•
 Drawer refrigerator in lounge (95L / 25 US Gal) Dishwasher for 9 sets 			•

PACKS

LUXE PACK

- · Leather finish on the furniture (Cabins & Wheelhouse)
- Leather finish on the doors (Cabins)
- Louvred doors for hanging lockers (Cabins)
 Padded headboard (Owner and VIP cabins)

- Sliding door for access to galley
 Luxe reading lights (Owner and VIP cabins)

ELECTRONIC PACK

- 2 Raymarine 12" multi-function screens in wheelhouse
 2 Raymarine 12" multi-function screens on flybridge
- Raymarine 3D echo depth sounder
- Raymarine VHF (Wheelhouse & Flybridge) Raymarine AIS
- · Raymarine aft camera

ELECTRONIC UPGRADED PACK

- 3 Raymarine 16" multi-function screens in wheelhouse
- 3 Raymarine 16" multi-function screens on flybridge
- Raymarine 3D echo depth sounder
- Raymarine VHF (Wheelhouse & Flybridge)
- Raymarine AIS • Raymarine aft camera
- Raymarine engine compartment camera

ENTERTAINMENT PACK Saloon & Exterior

- TV system on riser for TV up to 50"
 Fusion Apollo MS-RA770 + 4 Premium speakers and subwoofer

- 2 Premium speakers (Aft cockpit)
 2 Premium speakers (Deck forward)
 Fusion Apollo MS-RA770 + 2 Premium speakers (Flybridge)

ENTERTAINMENT PACK Owner's cabin - 3-cabin layout

• Owner's cabin (3-cabin layout): Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 50" TV

ENTERTAINMENT PACK Aft cabins - 4-cabin layout

· Port and starboard aft cabins (4-cabin layout): Fusion Apollo MS-RA770 + 2 Premium speakers

ENTERTAINMENT PACK VIP cabin

• VIP cabin: Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 32" TV



TRAULER 5RAND



General Equipment list - Europe

AMBIANCE

Alpi walnut standard version

- Standard Rovere Aleve laminate floors or brushed whitened solid oak
- floors (Galley, Wheelhouse, Steering station, Heads) Savage Abundance 31 white carpet (Cabins)
- 3 gloss Alpi oak optional version
 - Standard brown oak laminate floors or brushed whitened solid oak floors (Galley, Wheelhouse, Steering station, Heads)
- Savage Abundance 39 taupe carpet (Cabins)
- · Rain Cloud corian on the work top (Galley, Heads)
- Anthracite grey leather pilot seat
- Standard interior upholstery (Wheelhouse, Steering station): Marlin Brillant White PVC
- Optional internal upholstery (Wheelhouse, Steering station):
- Crevin Noah 52
- Bolt greige 06
- Ronaldo 13

- Ronaldo 13
 Foglizzo duke 15 (Leather)
 Foglizzo duke 02 (Leather)
 Foglizzo duke 45 (Leather)
 Foglizzo lugano 13 (Nubuck)
 Foglizzo lugano 14 (Nubuck)
 Standard external upholstery: Marlin Brillant White PVC
 Optional external upholstery: Dolce 51

OPTIONAL LAYOUT VERSIONS

4-CABIN LAYOUT

Two guest cabins in place of the owner's cabin. The VIP cabin becomes the owner's cabin.

AFT PORT SIDE GUEST CABIN

Headroom: 2,00m / 6'6¾"

- 2 Single beds convertible into double beds (2,00m x 0,75m / 6'6¾" x 2'5½')
- Marine mattresses
- Bedhead
- Hanging locker with lighting Direct and indirect lighting •
- Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 220 V socket & USB socket

AFT STARBOARD GUEST CABIN

- Headroom: 2,00m / 6'6¾"
- 2 Single beds convertible into double beds (2,00m x 0,75m / 6'6¾" x 2'5½")
- Marine mattresses
- Bedhead
- · Hanging locker with lighting
- Direct and indirect lighting
 Panoramic hull window with built-in opening porthole, fitted with white Venetian blind
- Storage space under bed
- 220 V socket & USB socket

FACE-TO-FACE SEATS IN SALOON _

· 2 person bench seat replacing starboard furniture (Upholstery depending on version)

SKIPPER'S CABIN (accessible from the bathing platform)

Headroom: 1,78m / 5'10"

- 2 Single berths (1,97m x 0,7m / 6'5½" x 2'3½")
- Marine mattresses
- · Bedside table with storage cupboard
- Hanging locker
- Reading light, Direct LED lighting
- Opening porthole with white curtain Stowage below lower bed
- 220 V socket & USB socket

SKIPPER CABIN HEAD/STOWAGE ____

Headroom: 1,78m / 5'10"

Tecma electric toilet

- · Rain Cloud corian work top with sink and mixer tap
- Mirror and storage space
- 220 V socket

SKIPPER CABIN SHOWER/STOWAGE

- Shower with mixer tap
- · Manual starting of the electric water drainage pump 8 L/2 US Gal grey water with sensor for automatic drainage
- Opening porthole



JRAND TRAULER



General Equipment list - Europe

OPTIONS

INTERIOR OPTIONS

AMBIANCE

- · Brushed whitened solid oak floors
- Luxe lighting 3-cabin layout
 Luxe lighting 4-cabin layout

SALOON

- · Wine cellar 23 bottles
- Drawer refrigerator (95L / 25 US Gal) Carpet in wheelhouse:

- Savage Abundance 31 white carpet (Alpi walnut standard version)
 Savage Abundance 39 taupe carpet (3 gloss Alpi oak optional version)

GALLEY

- · Enclosed galley with windows and serving hatch
- Dishwasher for 9 sets

DINING ROOM

12 person tableware service (crockery, place settings, glasses)

MAIN STEERING STATION

- MAN joystick + slow speed trolling valve
 stern thruster (300 kgf)
- Additional pilot seat in steering station
- LENCO flaps with automatic auto-glide management system · Ship control with web server

OWNER'S CABIN (AFT)

Safe

VIP CABIN (FORWARD)

ENTERTAINMENT Pack: Fusion Apollo MS-RA770 + 2 premium speakers with stand for up to 32" TV

4-CABIN LAYOUT

Fusion audio system for the 2 aft guest cabins

HEADS (except skipper cabin)

Tecma toilets with bidet function

AFT STOWAGE

- · Washer dryer
- Tender inflator
- · MAN spares kit: Oil filters, Air filter, Cooling pump, Belt

ENGINE COMPARTMENT

- 6 AGM service batteries (12V 140Ah) to replace standard batteries
- Automatic extinguishing system
- 2 000 W inverter
- Generator FISCHER PANDA 25i •

COMFORT

- Reversible 72 K BTU Mediterranean air conditioning Reversible 96 K BTU Tropical air conditioning 6 K BTU skipper cabin air conditioning 23 kW heating

- Heating Skipper's cabin
- Mosquito nets for aft bay and side doors
 Mosquito nets on the lower deck
 SEAKEEPER SK18 stabiliser

PLUMBING

- 95LPH Water maker
- Additional grey water tank (320L / 84.5 US Gal)
 8 L/2 US Gal grey water tank with sea discharge valves for head and washer dryer



JRAND TRAULER



General Equipment list - Europe

EXTERIOR OPTIONS

HULL

- · Hull paint
- Underwater lights (4 on aft transom)

DECK

- Delta anchor 50 kg, 100m chains (14mm diameter), 8 Fenders, 4 Inflatable fenders & 8 Moorings lines (22mm diameter)
- Forward deck seat and sun deck with adjustable backrests, with cover
- Forward sunshade
- Forward towing winch and electric winches to port and starboard
- Forward deck made from natural teak with black joints
- L-shaped cockpit bench seat and cockpit table, with cover
- 3rd steering station in the cockpit
- Hydraulic bathing platform with teak access steps and integrated tender chocks (400kg / 882 lbs SWL)

- Retractable telescopic gangway (3,2m / 10'6') 2 Fresh water deck washing pumps (stern and forward decks) 230 V/50 Hz air conditioning shore power socket 230 V/50 Hz air conditioning shore power socket System Cablemaster
- Full aft cockpit closing
 Black sunworker curtains for windscreens and side windows

FLYBRIDGE

- Additional pilot seat, with cover Flybridge crane (400kg / *882 lbs* SWL) Flybridge T-top with lighting Electrif soft top roof for flybridge T-top Sunshade for aft flybridge Sunworker roll-up side shades in flybridge Covers for cushions, table and steering console Sun deck forward of flybridge, with cover 6 Solar panels for the T-top Metallic grey paint for the T-top Natural teak flybridge floor with black joints Raymarine radome radar

- Raymarine radome radar
- Raymarine Open scanner radar
- Raymarine ClearCruise (augmented reality)
- Raymarine Wind vane anenometer
- 2 Domes for satellite antennae with pre-wiring as standard (coaxial satellite cable for TV to starboard)
- Deck searchlight and aft spotlight •
- Ice maker
- Drawer refrigerator (65L / 17 US Gal)
- Electric grill with stainless steel cover